Author index

Aalbaek, B. see *Soerensen, C.M.*
Agenès, F., Bosco, N., Mascarell, L., Fritah, S. and *Ceredig, R.* Differential expression of regulator of G-protein signalling transcripts and *in vivo* migration of $CD4^+$ naïve and regulatory T cells, 179
Allan, G.M. see *Vincent, I.E.*
de Andrade Jr, H.F. see *Garnica, M.R.*
Andreesen, R. see *Vudattu, N.K.*
Askenase, P.W. see *Szczepanik, M.*
Åström, R.-G. see *Öhman, L.*

Bäckström, B.T. see *Kemp, R.A.*
Barclay, A.N. see *Voulgaraki, D.*
Barnes, N.M. see *Meredith, E.J.*
Basaraba, R.J. see *Junqueira-Kipnis, A.P.*
Bassaganya-Riera, J. see *Hontecillas, R.*
Basten, A. see *Ismail, N.*
Beckhove, P. see *Mahnke, Y.D.*
Bedford, P.A. see *Maroof, A.*
Benvenutti, L.A. see *Marrero, I.*
Bird, A.C. see *Patel, N.*
Blacklaws, B.A. see *Kalupahana, R.S.*
Blaut, M. see *Ruiz, P.A.*
Boersma, W.J.A. see *de Groot, J.*
Bohlson, S.S. see *Zhang, M.*
Bosco, N. see *Agenès, F.*
Boye, M. see *Soerensen, C.M.*
Brandtzaeg, P. see *Morton, H.C.*
Bretscher, P.A. see *Ismail, N.*
Briscoe, H. see *Ismail, N.*
Brocker, T. see *Kleindienst, P.*
Brown, M.H. see *Voulgaraki, D.*
Bryniarski, K. see *Szczepanik, M.*
Buist, W.G. see *de Groot, J.*
Bunce, C. see *Patel, N.*
Burger, V. see *Vudattu, N.K.*

Cairo, C., Propp, N., Hebbeler, A.M., Colizzi, V. and *Pauza, C.D.* The $V\gamma2/V\delta2$ T-cell repertoire in *Macaca fascicularis*: functional responses to phosphoantigen stimulation by the $V\gamma2/J\gamma1.2$ subset, 197
Callard, R.E. and *Yates, A.J.* Immunology and mathematics: crossing the divide, 21
Carayanniotis, G. see *Li, H.S.*
Carding, S.R. see *Forester, N.D.*
Carrasco, C.P. see *Vincent, I.E.*
Carrigan, S.O., Weppler, A.L., Issekutz, A.C. and *Stadnyk, A.W.* Neutrophil differentiated HL-60 cells model Mac-1 (CD11b/CD18)-independent neutrophil transepithelial migration, 108
Ceredig, R. see *Agenès, F.*
Chamba, A. see *Meredith, E.J.*
Chang, M.-C. see *Cheng, W.-F.*
Chang, M.-S. see *Kao, S.-J.*
Chang, Y.-C. see *Kao, S.-J.*
Chau, K.-Y. see *Patel, N.*
Chen, B.-C. see *Kao, S.-J.*
Chen, C.-A. see *Cheng, W.-F.*
Cheng, W.-F., Lee, C.-N., Su, Y.-N., Chang, M.-C., Hsiao, W.-C., Chen, C.-A. and *Hsieh, C.-Y.* Induction of human papillomavirus type 16-specific immunologic responses in a normal and an human papillomavirus-infected populations, 136
Chiang, B.-L. see *Yang, M.-H.*
Chiu, W.-T. see *Kao, S.-J.*
Choi, J.-J., Reich III, C.F. and *Pisetsky, D.S.* The role of macrophages in the *in vitro* generation of extracellular DNA from apoptotic and necrotic cells, 55
Choi, S.H. see *Lee, B.C.*
Chong, V. see *Patel, N.*
Coates, A.R.M. see *Maguire, M.*
Coelho, V. see *Marrero, I.*
Colizzi, V. see *Cairo, C.*
Corsini, E., Paola, R.D., Viviani, B., Genovese, T., Mazzon, E., Lucchi, L., Marinovich, M., Galli, C.L. and *Cuzzocrea, S.* Increased carrageenan-induced acute lung inflammation in old rats, 253
Cruickshank, S.M. see *Forester, N.D.*
Cuzzocrea, S. see *Corsini, E.*

Dieckmann, D., Plöttner, H., Dotterweich, S. and *Schuler, G.* Activated $CD4^+$ $CD25^+$ T cells suppress antigen-specific $CD4^+$ and $CD8^+$ T cells but induce a suppressive phenotype only in $CD4^+$ T cells, 305
Dotterweich, S. see *Dieckmann, D.*
Dower, S.K. see *Sabroe, I.*
Dy, M. see *Zhang, M.*

Ebert, E.C. IL-15 converts human intestinal intraepithelial lymphocytes to $CD94^+$ producers of IFN-γ and IL-10, the latter promoting Fas ligand-mediated cytotoxicity, 118
Eissner, G. see *Vudattu, N.K.*
Engel, B. see *de Groot, J.*
English, N.R. see *Maroof, A.*
Ewing, P. see *Vudattu, N.K.*

Forester, N.D., Cruickshank, S.M., Scott, D.J.A. and *Carding, S.R.* Functional characterization of T cells in abdominal aortic aneurysms, 262
Foster-Cuevas, M. see *Voulgaraki, D.*
Fritah, S. see *Agenès, F.*

© 2005 Blackwell Publishing Ltd,

Author index

Aalbaek, B. see *Soerensen, C.M.*
Agenès, F., Bosco, N., Mascarell, L., Fritah, S. and *Ceredig, R.* Differential expression of regulator of G-protein signalling transcripts and *in vivo* migration of $CD4^+$ naïve and regulatory T cells, 179
Allan, G.M. see *Vincent, I.E.*
de Andrade Jr, H.F. see *Garnica, M.R.*
Andreesen, R. see *Vudattu, N.K.*
Askenase, P.W. see *Szczepanik, M.*
Åström, R.-G. see *Öhman, L.*

Bäckström, B.T. see *Kemp, R.A.*
Barclay, A.N. see *Voulgaraki, D.*
Barnes, N.M. see *Meredith, E.J.*
Basaraba, R.J. see *Junqueira-Kipnis, A.P.*
Bassaganya-Riera, J. see *Hontecillas, R.*
Basten, A. see *Ismail, N.*
Beckhove, P. see *Mahnke, Y.D.*
Bedford, P.A. see *Maroof, A.*
Benvenutti, L.A. see *Marrero, I.*
Bird, A.C. see *Patel, N.*
Blacklaws, B.A. see *Kalupahana, R.S.*
Blaut, M. see *Ruiz, P.A.*
Boersma, W.J.A. see *de Groot, J.*
Bohlson, S.S. see *Zhang, M.*
Bosco, N. see *Agenès, F.*
Boye, M. see *Soerensen, C.M.*
Brandtzaeg, P. see *Morton, H.C.*
Bretscher, P.A. see *Ismail, N.*
Briscoe, H. see *Ismail, N.*
Brocker, T. see *Kleindienst, P.*
Brown, M.H. see *Voulgaraki, D.*
Bryniarski, K. see *Szczepanik, M.*
Buist, W.G. see *de Groot, J.*
Bunce, C. see *Patel, N.*
Burger, V. see *Vudattu, N.K.*

Cairo, C., Propp, N., Hebbeler, A.M., Colizzi, V. and *Pauza, C.D.* The $V\gamma2/V\delta2$ T-cell repertoire in *Macaca fascicularis*: functional responses to phosphoantigen stimulation by the $V\gamma2/J\gamma1.2$ subset, 197
Callard, R.E. and *Yates, A.J.* Immunology and mathematics: crossing the divide, 21
Carayanniotis, G. see *Li, H.S.*
Carding, S.R. see *Forester, N.D.*
Carrasco, C.P. see *Vincent, I.E.*
Carrigan, S.O., Weppler, A.L., Issekutz, A.C. and *Stadnyk, A.W.* Neutrophil differentiated HL-60 cells model Mac-1 (CD11b/CD18)-independent neutrophil transepithelial migration, 108
Ceredig, R. see *Agenès, F.*
Chamba, A. see *Meredith, E.J.*
Chang, M.-C. see *Cheng, W.-F.*
Chang, M.-S. see *Kao, S.-J.*
Chang, Y.-C. see *Kao, S.-J.*
Chau, K.-Y. see *Patel, N.*
Chen, B.-C. see *Kao, S.-J.*
Chen, C.-A. see *Cheng, W.-F.*
Cheng, W.-F., Lee, C.-N., Su, Y.-N., Chang, M.-C., Hsiao, W.-C., Chen, C.-A. and *Hsieh, C.-Y.* Induction of human papillomavirus type 16-specific immunologic responses in a normal and an human papillomavirus-infected populations, 136
Chiang, B.-L. see *Yang, M.-H.*
Chiu, W.-T. see *Kao, S.-J.*
Choi, J.-J., Reich III, C.F. and *Pisetsky, D.S.* The role of macrophages in the *in vitro* generation of extracellular DNA from apoptotic and necrotic cells, 55
Choi, S.H. see *Lee, B.C.*
Chong, V. see *Patel, N.*
Coates, A.R.M. see *Maguire, M.*
Coelho, V. see *Marrero, I.*
Colizzi, V. see *Cairo, C.*
Corsini, E., Paola, R.D., Viviani, B., Genovese, T., Mazzon, E., Lucchi, L., Marinovich, M., Galli, C.L. and *Cuzzocrea, S.* Increased carrageenan-induced acute lung inflammation in old rats, 253
Cruickshank, S.M. see *Forester, N.D.*
Cuzzocrea, S. see *Corsini, E.*

Dieckmann, D., Plöttner, H., Dotterweich, S. and *Schuler, G.* Activated $CD4^+$ $CD25^+$ T cells suppress antigen-specific $CD4^+$ and $CD8^+$ T cells but induce a suppressive phenotype only in $CD4^+$ T cells, 305
Dotterweich, S. see *Dieckmann, D.*
Dower, S.K. see *Sabroe, I.*
Dy, M. see *Zhang, M.*

Ebert, E.C. IL-15 converts human intestinal intraepithelial lymphocytes to $CD94^+$ producers of IFN-γ and IL-10, the latter promoting Fas ligand-mediated cytotoxicity, 118
Eissner, G. see *Vudattu, N.K.*
Engel, B. see *de Groot, J.*
English, N.R. see *Maroof, A.*
Ewing, P. see *Vudattu, N.K.*

Forester, N.D., Cruickshank, S.M., Scott, D.J.A. and *Carding, S.R.* Functional characterization of T cells in abdominal aortic aneurysms, 262
Foster-Cuevas, M. see *Voulgaraki, D.*
Fritah, S. see *Agenès, F.*

© 2005 Blackwell Publishing Ltd,

Furrie, E., Macfarlane, S., Thomson, G. and *Macfarlane, G.T.* Toll-like receptors-2, -3 and -4 expression patterns on human colon and their regulation by mucosal-associated bacteria, 565

Gabrilovich, D.I. see *Maroof, A.*
Galli, C.L. see *Corsini, E.*
Garnica, M.R., de Moraes, L.V., Rizzo, L.V. and *de Andrade Jr, H.F.* Supplementation of CXCL12 (CXCL12) induces homing of $CD11c^+$ dendritic cells to the spleen and enhances control of *Plasmodium berghei* malaria in BALB/c mice, 399
Geng, X., Tang, R.-H., Law, S.K.A. and *Tan, S.-M.* Integrin CD11a cytoplasmic tail interacts with the CD45 membrane-proximal protein tyrosine phosphatase domain 1, 347
Genovese, T. see *Corsini, E.*
Geuking, M.B. see *Macpherson, A.J.*
Goodridge, H.S., Stepek, G., Harnett, W. and *Harnett, M.M.* Signalling mechanisms underlying subversion of the immune response by the filarial nematode secreted product ES-62, 296
Gordon, J. see *Meredith, E.J.*
Grant-Tschudy, K.S. and *Wira, C.R.* Effect of oestradiol on mouse uterine epithelial cell tumour necrosis factor-α release is mediated through uterine stromal cells, 99
de Groot, J., Kruijt, L., Scholten, J.W., Boersma, W.J.A., Buist, W.G., Engel, B. and *van Reenen, C.G.* Age, gender and litter-related variation in T-lymphocyte cytokine production in young pigs, 495
Guzylack-Piriou, L. see *Vincent, I.E.*

Haffner, S. see *Vudattu, N.K.*
Haller, D. see *Ruiz, P.A.*
Harbo, H.F. see *Torkildsen, Ø.*
Harnett, M.M. see *Goodridge, H.S.*
Harnett, W. see *Goodridge, H.S.*
Harton, M. see *Junqueira-Kipnis, A.P.*
Hebbeler, A.M. see *Cairo, C.*
Heegaard, P.M. see *Soerensen, C.M.*
Hehlgans, T. and *Pfeffer, K.* The intriguing biology of the tumour necrosis factor/tumour necrosis factor receptor superfamily: players, rules and the games, 1
Henderson, B. see *Maguire, M.*
Herrmann, B. see *Vincent, I.E.*
Hoffmann, M. see *Ruiz, P.A.*
Hoji, A. and *Rinaldo Jr, C.R.* Human $CD8^+$ T cells specific for influenza A virus M1 display broad expression of maturation-associated phenotypic markers and chemokine receptors, 239
Holder, M.J. see *Meredith, E.J.*
Holler, E. see *Vudattu, N.K.*
Holmskov, U. see *Soerensen, C.M.*
Holtmeier, W. see *Šinkora, M.*
Homma, S., Komita, H., Sagawa, Y., Ohno, T. and *Toda, G.* Antitumour activity mediated by $CD4^+$ cytotoxic T lymphocytes against MHC class II-negative mouse hepatocellular carcinoma induced by dendritic cell vaccine and interleukin-12, 451
Hontecillas, R., Bassaganya-Riera, J., Wilson, J., Hutto, D.L. and *Wannemuehler, M.J.* $CD4^+$ T-cell responses and distribution at the colonic mucosa during *Brachyspira hyodysenteriae*-induced colitis in pigs, 127
Horejs-Hoeck, J., Hren, A., Mudde, G.C. and *Woisetschläger, M.* Inhibition of immunoglobulin E synthesis through FcγRII (CD32) by a mechanism independent of B-cell receptor co-cross-linking, 407
Hörnquist, E.H. see *Öhman, L.*
Hren, A. see *Horejs-Hoeck, J.*
Hsiao, W.-C. see *Cheng, W.-F.*
Hsieh, C.-Y. see *Cheng, W.-F.*
Hutto, D.L. see *Hontecillas, R.*

Inngjerdingen, M. see *Kveberg, L.*
Ismail, N., Basten, A., Briscoe, H. and *Bretscher, P.A.* Increasing the foreignness of an antigen, by coupling a second and foreign antigen to it, increases the T helper type 2 component of the immune response to the first antigen, 34
Issekutz, A.C. see *Carrigan, S.O.*

Jobin, C. see *Kim, J.S.*
Johnson, R.P. see *Webster, R.L.*
Jones, E.C. see *Sabroe, I.*
Juarrero, M.G. see *Junqueira-Kipnis, A.P.*
Junqueira-Kipnis, A.P., Kipnis, A., Tamayo, M.H., Harton, M., Juarrero, M.G., Basaraba, R.J. and *Orme, I.M.* Interleukin-10 production by lung macrophages in CBA *xid* mutant mice infected with *Mycobacterium tuberculosis*, 246

Kalil, J. see *Marrero, I.*
Kalupahana, R.S., Mastroeni, P., Maskell, D. and *Blacklaws, B.A.* Activation of murine dendritic cells and macrophages induced by *Salmonella enterica* serovar Typhimurium, 462
Kao, S.-J., Lei, H.-C., Kuo, C.-T., Chang, M.-S., Chen, B.-C., Chang, Y.-C., Chiu, W.-T. and *Lin, C.-H.* Lipoteichoic acid induces nuclear factor-κB activation and nitric oxide synthase expression via phosphatidylinositol 3-kinase, Akt, and p38 MAPK in RAW 264.7 macrophages, 366
Kemp, R.A., Bäckström, B.T. and *Ronchese, F.* The phenotype of type 1 and type 2 $CD8^+$ T cells activated *in vitro* is affected by culture conditions and correlates with effector activity, 315
Kim, J.S. and *Jobin, C.* The flavonoid luteolin prevents lipopolysaccharide-induced NF-κB signalling and gene expression by blocking IκB kinase activity in intestinal epithelial cells and bone-marrow derived dendritic cells, 375
Kim, S.H. see *Lee, B.C.*
Kim, T.S. see *Lee, B.C.*
Kipnis, A. see *Junqueira-Kipnis, A.P.*
Kirchner, S. see *Vudattu, N.K.*
Kleindienst, P. and *Brocker, T.* Concerted antigen presentation by dendritic cells and B cells is necessary for optimal CD4 T-cell immunity *in vivo*, 556
Knight, S.C. see *Maroof, A.*
Komita, H. see *Homma, S.*
Kruijt, L. see *de Groot, J.*
Kuo, C.-T. see *Kao, S.-J.*
Kveberg, L., Ryan, J.C., Rolstad, B. and *Inngjerdingen, M.* Expression of regulator of G protein signalling proteins in natural killer cells, and their modulation by Ly49A and Ly49D, 358

Larsson, P. see *Wing, K.*
Law, S.K.A. see *Geng, X.*

Lee, B.C., Kim, S.H., Choi, S.H. and *Kim, T.S.* Induction of interleukin-8 production via nuclear factor-κB activation in human intestinal epithelial cells infected with *Vibrio vulnificus*, 506
Lee, C.-N. see *Cheng, W.-F.*
Lei, H.-C. see *Kao, S.-J.*
Letarte, M. see *Voulgaraki, D.*
Li, H.S. and *Carayanniotis, G.* Detection of thyroglobulin mRNA as truncated isoform(s) in mouse thymus, 85
Li, S.-L. see *Yang, M.-H.*
Li, W. Synergistic antibody induction by antigen–CD40 ligand fusion protein as improved immunogen, 215
Lin, C.-H. see *Kao, S.-J.*
Liu, H. see *Liu, L.*
Liu, L., Zhou, X., Liu, H., Xiang, L. and *Yuan, Z.* CpG motif acts as a 'danger signal' and provides a T helper type 1-biased microenvironment for DNA vaccination, 223
Lucchi, L. see *Corsini, E.*
Lundin, S.B. see *Wing, K.*

Macfarlane, G.T. see *Furrie, E.*
Macfarlane, S. see *Furrie, E.*
Maçon-Lemaître, L. and *Triebel, F.* The negative regulatory function of the lymphocyte-activation gene-3 co-receptor (CD223) on human T cells, 170
Macpherson, A.J., Geuking, M.B. and *McCoy, K.D.* Immune responses that adapt the intestinal mucosa to commensal intestinal bacteria, 153
Maguire, M., Poole, S., Coates, A.R.M., Tormay, P., Wheeler-Jones, C. and *Henderson, B.* Comparative cell signalling activity of ultrapure recombinant chaperonin 60 proteins from prokaryotes and eukaryotes, 231
Mahnke, Y.D., Schwendemann, J., Beckhove, P. and *Schirrmacher, V.* Maintenance of long-term tumour-specific T-cell memory by residual dormant tumour cells, 325
Marinovich, M. see *Corsini, E.*
Maroof, A., English, N.R., Bedford, P.A., Gabrilovich, D.I. and *Knight, S.C.* Developing dendritic cells become 'lacy' cells packed with fat and glycogen, 473
Marrero, I., Benvenutti, L.A., Kalil, J. and *Coelho, V.* Autoreactivity to self H-2K^{b} peptides in TAP1$^{-/-}$ mice. Intravenous administration of H-2K^{b} class I-derived peptides induces long-term survival of grafts from C57BL/6 donors, 484
Mascarell, L. see *Agenès, F.*
Maskell, D. see *Kalupahana, R.S.*
Mastroeni, P. see *Kalupahana, R.S.*
Mazzon, E. see *Corsini, E.*
McCoy, K.D. see *Macpherson, A.J.*
McCullough, K.C. see *Vincent, I.E.*
McNeilly, F. see *Vincent, I.E.*
Mellgren, S.I. see *Torkildsen, Ø.*
Meredith, E.J., Chamba, A., Holder, M.J., Barnes, N.M. and *Gordon, J.* Close encounters of the monoamine kind: immune cells betray their nervous disposition, 289
Mitnacht-Kraus, R. see *Voulgaraki, D.*
de Moraes, L.V. see *Garnica, M.R.*
Morton, H.C., Pleass, R.J., Storset, A.K., Brandtzaeg, P. and *Woof, J.M.* Cloning and characterization of equine CD89 and identification of the CD89 gene in chimpanzees and rhesus macaques, 74
Mudde, G.C. see *Horejs-Hoeck, J.*
Myhr, K.-M. see *Torkildsen, Ø.*

Nielsen, O.L. see *Soerensen, C.M.*
Nugent, A.K. see *Patel, N.*

Ohbayashi, M. see *Patel, N.*
Öhman, L., Åström, R.-G. and *Hörnquist, E.H.* Impaired B cell responses to orally administered antigens in lamina propria but not Peyer's patches of Gαi2-deficient mice prior to colitis, 271
Ohno, T. see *Homma, S.*
Ono, S.J. see *Patel, N.*
Orme, I.M. see *Junqueira-Kipnis, A.P.*

Paola, R.D. see *Corsini, E.*
Parkhouse, R.M.E. see *Yang, H.*
Patel, N., Ohbayashi, M., Nugent, A.K., Ramchand, K., Toda, M., Chau, K.-Y., Bunce, C., Webster, A., Bird, A.C., Ono, S.J. and *Chong, V.* Circulating anti-retinal antibodies as immune markers in age-related macular degeneration, 422
Pauza, C.D. see *Cairo, C.*
Pfeffer, K. see *Hehlgans, T.*
Pisetsky, D.S. see *Choi, J.-J.*
Pleass, R.J. see *Morton, H.C.*
Plöttner, H. see *Dieckmann, D.*
Poole, S. see *Maguire, M.*
Propp, N. see *Cairo, C.*
Ptak, M. see *Szczepanik, M.*
Ptak, W. see *Szczepanik, M.*

Ramchand, K. see *Patel, N.*
van Reenen, C.G. see *de Groot, J.*
Reich III, C.F. see *Choi, J.-J.*
Rinaldo Jr, C.R. see *Hoji, A.*
Rizzo, L.V. see *Garnica, M.R.*
Rolstad, B. see *Kveberg, L.*
Ronchese, F. see *Kemp, R.A.*
Rudin, A. see *Wing, K.*
Ruiz, P.A., Hoffmann, M., Szcesny, S., Blaut, M. and *Haller, D.* Innate mechanisms for *Bifidobacterium lactis* to activate transient pro-inflammatory host responses in intestinal epithelial cells after the colonization of germ-free rats, 441
Ryan, J.C. see *Kveberg, L.*

Sabroe, I., Jones, E.C., Whyte, M.K.B. and *Dower, S.K.* Regulation of human neutrophil chemokine receptor expression and function by activation of Toll-like receptors 2 and 4, 90
Sagawa, Y. see *Homma, S.*
Sandström, K. see *Wing, K.*
Schirrmacher, V. see *Mahnke, Y.D.*
Scholten, J.W. see *de Groot, J.*
Schuler, G. see *Dieckmann, D.*
Schulz, U. see *Vudattu, N.K.*
Schwendemann, J. see *Mahnke, Y.D.*
Scott, D.J.A. see *Forester, N.D.*
Šinkora, M., Šinkorová, J. and *Holtmeier, W.* Development of γδ thymocyte subsets during prenatal and postnatal ontogeny, 544
Šinkorová, J. see *Šinkora, M.*

Skrzeczynska, J. see *Szczepanik, M.*
Soerensen, C.M., Holmskov, U., Aalbaek, B., Boye, M., Heegaard, P.M. and *Nielsen, O.L.* Pulmonary infections in swine induce altered porcine surfactant protein D expression and localization to dendritic cells in bronchial-associated lymphoid tissue, 526
Stadnyk, A.W. see *Carrigan, S.O.*
Stepek, G. see *Goodridge, H.S.*
Storset, A.K. see *Morton, H.C.*
Su, Y.-N. see *Cheng, W.-F.*
Suen, J.-L. see *Yang, M.-H.*
Summerfield, A. see *Vincent, I.E.*
Suri-Payer, E. see *Wing, K.*
Szcesny, S. see *Ruiz, P.A.*
Szczepanik, M., Bryniarski, K., Tutaj, M., Ptak, M., Skrzeczynska, J., Askenase, P.W. and *Ptak, W.* Epicutaneous immunization induces αβ T-cell receptor CD4 CD8 double-positive non-specific suppressor T cells that inhibit contact sensitivity via transforming growth factor-β, 42

Takai, T. Paired immunoglobulin-like receptors and their MHC class I recognition, 433
Tamayo, M.H. see *Junqueira-Kipnis, A.P.*
Tan, S.-M. see *Geng, X.*
Tang, R.-H. see *Geng, X.*
Tenner, A.J. see *Zhang, M.*
Thomson, G. see *Furrie, E.*
Toda, G. see *Homma, S.*
Toda, M. see *Patel, N.*
Todryk, S.M. and *Walther, M.* Building better T-cell-inducing malaria vaccines, 163
Torkildsen, Ø., Utsi, E., Mellgren, S.I., Harbo, H.F., Vedeler, C.A. and *Myhr, K.-M.* Ethnic variation of Fcγ receptor polymorphism in Sami and Norwegian populations, 416
Tormay, P. see *Maguire, M.*
Triebel, F. see *Maçon-Lemaître, L.*
Tutaj, M. see *Szczepanik, M.*

Utsi, E. see *Torkildsen, Ø.*

Vedeler, C.A. see *Torkildsen, Ø.*
Vincent, I.E., Carrasco, C.P., Guzylack-Piriou, L., Herrmann, B., McNeilly, F., Allan, G.M., Summerfield, A. and *McCullough, K.C.* Subset-dependent modulation of dendritic cell activity by circovirus type 2, 388
Viviani, B. see *Corsini, E.*
Voulgaraki, D., Mitnacht-Kraus, R., Letarte, M., Foster-Cuevas, M., Brown, M.H. and *Barclay, A.N.* Multivalent recombinant proteins for probing functions of leucocyte surface proteins such as the CD200 receptor, 337
Vudattu, N.K., Holler, E., Ewing, P., Schulz, U., Haffner, S., Burger, V., Kirchner, S., Andreesen, R. and *Eissner, G.* Reverse signalling of membrane-integrated tumour necrosis factor differentially regulates alloresponses of $CD4^+$ and $CD8^+$ T cells against human microvascular endothelial cells, 536

Walther, M. see *Todryk, S.M.*
Wannemuehler, M.J. see *Hontecillas, R.*
Webster, A. see *Patel, N.*
Webster, R.L. and *Johnson, R.P.* Delineation of multiple subpopulations of natural killer cells in rhesus macaques, 206
Weppler, A.L. see *Carrigan, S.O.*
Wheeler-Jones, C. see *Maguire, M.*
Whyte, M.K.B. see *Sabroe, I.*
Wileman, T. see *Yang, H.*
Wilson, J. see *Hontecillas, R.*
Wing, K., Larsson, P., Sandström, K., Lundin, S.B., Suri-Payer, E. and *Rudin, A.* $CD4^+CD25^+$ *FOXP3*$^+$ regulatory T cells from human thymus and cord blood suppress antigen-specific T cell responses, 516
Wira, C.R. see *Grant-Tschudy, K.S.*
Woisetschläger, M. see *Horejs-Hoeck, J.*
Woof, J.M. see *Morton, H.C.*

Xiang, L. see *Liu, L.*

Yang, H., Parkhouse, R.M.E. and *Wileman, T.* Monoclonal antibodies that identify the CD3 molecules expressed specifically at the surface of porcine γδ-T cells, 189
Yang, M.-H., Suen, J.-L., Li, S.-L. and *Chiang, B.-L.* Identification of T-cell epitopes on U1A protein in MRL/lpr mice: double-negative T cells are the major responsive cells, 279
Yates, A.J. see *Callard, R.E.*
Yuan, Z. see *Liu, L.*

Zhang, M., Bohlson, S.S., Dy, M. and *Tenner, A.J.* Modulated interaction of the ERM protein, moesin, with CD93, 63
Zhou, X. see *Liu, L.*

Subject index

abdominal aortic aneurysms, 262
αβ-TCR suppressor, 42
adhesion
  molecules, 347
  receptors, 231
adoptive immunotherapy, 325
age-related macular degeneration, 422
aging, 422
AIDS, 206
allergy, 407
animal models/studies: cows, pigs, horses, cats, dogs, 544
antibodies, 74
antibody, 215
anti-endothelial response, 536
antigen presentation, 556
apoptosis, 55
auto-antibodies, 422
autoimmunity, 1, 416, 433
autoreactivity, 484

B
  cells, 556
  lymphocyte, 215
  lymphocytes, 407
bone
  marrow, 325
  marrow-derived dendritic cell, 375
Brachyspira hyodysenteriae, 127

cancer vaccine, 451
CD200, 337
CD32, 407
CD93, 63
CD223, 170
CD3, 189
CD40, 215
$CD11c^+$, 399
CD40L, 215
$CD4^+$ cytotoxic T lymphocytes, 451
$CD25^+$ regulatory T cells, 516
$CD4^+$ T cells, 127
$CD8^+$
  T cells, 239
  T-cell memory, 325
cell
  development/differentiation, 544
  proliferation, 170
  surface molecules, 347
cell-mediated versus humoral immunity, 34
cellular
  activation, 315
  differentiation, 473
central nervous system, 289
cervical cancer, 136
chaperonin 60, 231
chemokine, 358
  receptors, 90
chimpanzees, 74
circovirus type 2, 388
colitis, 127
collectins, 526
colonic epithelium, 565
commensal bacteria, 153
comparative immunology/evolution, 74
cord blood, 516
CpG motif, 223
$C1qR_P$, 63
CXCL-12, 399
cytokine, 495
cytokines, 231, 253, 315
cytotoxic T cell, 136
cytotoxicity, 118, 206, 315

danger signal, 223
dendritic
  cell, 153
  cells, 388, 399, 451, 462, 473, 526, 556
dibutyryl cAMP, 108
DMSO-differentiated HL-60, 108
DNA, 55
  vaccine, 223
dopamine, 289
drusen, 422

EBV, 239
ELISA/ELISPOT, 136
epicutaneous immunization, 42
epithelial
  cell, 506
  cells, 99
ERM, 63
ES-62, 296
ethnicity, 416

Fas ligand, 118
fat, 473
Fc receptors, 74
FcγR, 416
filarial nematodes, 296
flow cytometry, 239
fusion protein, 215

γδ T cells, 189, 544
gene
  gun, 223
  targeting, 1
GIPC, 63
glycogen, 473
gnotobiology, 441
graft rejection, 484
graft-versus-host disease, 433

health, 495
hepatocellular carcinoma, 451
$H\text{-}2K^b$ peptides, 484
horses, 74
host defence, 1
human, 305
  leukocyte antigen, 136
  papillomavirus, 136
hypersensitivity, 433

IFN-γ, 118
IgA, 153
IgE, 407
IκB kinase, 375
IL-10, 118
IL-15, 118
immune, 495
  system, 21
immunoglobulin, 416
immunolocalization, 526
immunomodulation, 296, 388
inducible nitric oxide synthase, 366
infectious disease, 416
inflammation, 1, 90
inflammatory bowel disease, 271
influenza, 239
interferon alpha, 388
interferon-γ, 462
interleukin-12, 451
interleukin-8, 506
interleukin-10, 246, 484
intestinal
  epithelial cell, 375
  epithelial cells, 441
  epithelium, 108
  mucosa, 153
intraepithelial lymphocytes, 118
isotype switching, 407

© 2005 Blackwell Publishing Ltd,

Jγ1.2, 197

lipid
  bodies, 473
  mediators, 473
lipoteichoic acid, 366
lung
  epithelium, 108
  oedema, 253
luteolin, 375
Ly49, 358
lymphocytes, 289

Macaca fascicularis, 197
macrophage, 55
macrophages, 246, 462
major histocompatibility complex class I
  deficiency, 484
malaria, 163, 399
mathematics, 21
MHC
  class II, 170, 462
  II, 556
microarray, 337
modelling, 21
monocytes/macrophages, 253
mTNF, 536
mucosa, 271
mucosal
  bacteria, 565
  immunology, 127
myelin oligodendrocyte glycoprotein,
  516
myeloid, 337
  cells, 231

natural killer cells, 206, 246
necrosis, 55
networks, 21
neutrophil, 90
NF-κB, 366, 375
NIPC, 388
nitric oxide, 366
NK cells, 358
non-human primates, 206
non-specific unresponsiveness, 42
nuclear
  factor (NF)-κB, 441
  factor-κB, 506

oestradiol, 99
oral immunization, 271
organogenesis, 1

p38 MAPK, 366
paired immunoglobulin-like receptors,
  433
parabiosis, 179
pentamer, 337
phagocytosis, 63
phenotyping, 239
phosphoantigens, 197
physical trauma, 223
pig, 189, 526
PI3K, 366
Plasmodium berghei, 399
polymorphonuclear cells, 253
porcine surfactant protein D, 526
probiotic bacteria, 441
protein kinases/phosphatases, 347

RAW 264.7 macrophages, 366
receptor, 337
regulatory T cells, 179
repertoire, 197
retina, 422
retinal pigment epithelium, 422
reverse signalling, 536
RGS, 358
rhesus macaques, 74

Salmonella typhimurium, 462
serotonin, 289
signal transduction, 253, 296
spleen, 399
swine, 495

T
  cell, 163, 170
  cells, 42, 262, 305, 536, 556
  helper type 1 immunity, 246
  lymphocytes, 179, 315
  memory cell homeostasis, 21
T-cell receptor
  signalling, 21
  (TCR), 544
T-cell/T-cell interactions, 34
tetramer, 239
TGF-β, 42
Th1 and Th2 differentiation, 21
Th2 response, 433
Th1/Th2, 495
  pathways, 34
thymic expression, 85
thymus, 516, 544
thyroglobulin, 85
thyroiditis, 85
T-lymphocyte, 153
TNF/TNFR-superfamily, 1
tolerance, 565
tolerance/suppression, 305
Toll-like
  receptor 2, 441
  receptors, 90, 565
transepithelial resistance, 99
transplantation, 433
transporters, 289
tuberculosis, 246
tumour dormancy, 325

uterus, 99

vaccines, 163
vascular endothelial cells, 231
Vγ2/Vδ2 T cells, 197
Vibrio vulnificus, 506

xid mutation, 246